

Were these symptoms present on most days for at least one month?*
Kentucky BRFSS 2001

Demographic Groups	Total Respond.#	Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
TOTAL	3917	2607	63.7	(61.4-65.9)	1310	36.3	(34.1-38.6)
GENDER							
Male	1423	916	61.8	(58.2-65.4)	507	38.2	(34.6-41.8)
Female	2494	1691	65.1	(62.3-67.9)	803	34.9	(32.1-37.7)
RACE							
White/NH	3603	2421	64.2	(61.9-66.5)	1182	35.8	(33.5-38.1)
African American/NH	165	94	59.0	(48.4-68.9)	71	41.0	(31.1-51.6)
AGE							
18-24	133	65	44.8	(33.9-56.2)	68	55.2	(43.8-66.1)
25-34	443	241	57.3	(51.1-63.2)	202	42.7	(36.8-48.9)
35-44	738	452	57.2	(51.9-62.3)	286	42.8	(37.7-48.1)
45-54	868	584	62.5	(57.7-67.1)	284	37.5	(32.9-42.3)
55-64	734	538	72.4	(67.5-76.8)	196	27.6	(23.2-32.5)
65+	987	719	72.7	(68.5-76.5)	268	27.3	(23.5-31.5)
EDUCATION							
Less Than H.S.	1090	839	75.0	(71.2-78.5)	251	25.0	(21.5-28.8)
H.S. or G.E.D.	1446	944	63.0	(59.4-66.6)	502	37.0	(33.4-40.6)
Some Post-H.S.	853	532	57.1	(51.9-62.1)	321	42.9	(37.9-48.1)
College Graduate	518	282	56.9	(51.0-62.6)	236	43.1	(37.4-49.0)
HOUSEHOLD INCOME							
Less than \$15,000	741	596	76.8	(71.2-81.6)	145	23.2	(18.4-28.8)

\$15,000- 24,999	687	459 65.4 (60.3-70.1)	228 34.6 (29.9-39.7)
\$25,000- 34,999	405	243 64.9 (58.3-70.9)	162 35.1 (29.1-41.7)
\$35,000- 49,999	414	256 66.0 (59.5-71.9)	158 34.0 (28.1-40.5)
\$50,000+	524	285 52.9 (46.9-58.9)	239 47.1 (41.1-53.1)

*This question is asked to respondents who reported having pain, aching, stiffness or swelling in or around a joint.

#Use caution in interpreting data for total respondents less than 50. N = Cell Size, NH = Non-Hispanic, %

= Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level).

Percentages are weighted to population characteristics.

Unless stated differently above, Missing, 'Don't know', and Refused responses are excluded.